EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2	(transaction near2 (identifier ID)) with (identical "same" exact $3 repeat$3 redundant) with (abort $3 discard$3) with (request$3 command $3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/08 14:15
L2	641	((transaction near2 (identifier ID)) with (identical "same" exact $3 repeat$3 redundant)) same ((abort$3 discard$3) with (request$3 command$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/08 14:16
L3	2	(transaction near2 (identifier ID)) with (duplicat$3 identical "same" exact$3 repeat $3 redundant) with (abort$3 discard$3) with (request$3 command$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/08 14:18
L4	641	((transaction near2 (identifier ID)) with (duplicat$3 identical "same" exact$3 repeat $3 redundant)) same ((abort$3 discard$3) with (request$3 command$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/08 14:18
L5	634	((transaction near2 (identifier ID)) with (duplicat$3 identical "same" exact$3 repeat $3 redundant)) same ((abort$3 discard$3) with (request$3 command$3)) and ((buffer queu3) with (size occupancy capacity level fill))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/08 14:19

L6	0	((transaction near2 (identifier ID)) with (duplicat$3 identical "same" exact$3 repeat $3 redundant)) same ((abort$3 discard$3) with (request$3 command$3)) same ((buffer queu3) with (size occupancy capacity level fill))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/08 14:19
L7	634	((transaction near2 (identifier ID)) with (duplicat$3 identical "same" exact$3 repeat $3 redundant)) same ((abort$3 discard$3) with (request$3 command$3)) and ((buffer queu3) with (size occupancy capacity level fill))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/08 14:19
L8	0	(((transaction near2 (identifier ID)) with (duplicat$3 identical "same" exact$3 repeat $3 redundant)) same ((abort$3 discard$3) with (request$3 command$3)) same (sequence with number)) and ((buffer queu3) with (size occupancy capacity level fill))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/08 14:20
L9	0	(((transaction near2 (identifier ID)) with (duplicat$3 identical "same" exact$3 repeat $3 redundant)) same ((abort$3 discard$3) with (request$3 command$3)) same sequence) and ((buffer queu3) with (size occupancy capacity level fill))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/08 14:21

L10	0	(((transaction near2 (identifier ID) with (duplicat$3 identical "same" exact$3 repeat $3 redundant)) same ((abort$3 discard$3)) with (request$3 command$3)) same sequence) and ((buffer queu3) with (size occupancy capacity level fill))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/08 14:21
L11	634	(((transaction near2 (identifier ID)) with (duplicat$3 identical "same" exact$3 repeat $3 redundant)) same ((abort$3 discard$3)) with (request$3 command$3))) and ((buffer queu3) with (size occupancy capacity level fill))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/08 14:21
L12	634	(((transaction near2 (identifier ID)) with (duplicat$3 identical "same" exact$3 repeat $3)) same ((abort$3 discard$3) with (request$3 command $3))) and ((buffer queu3) with (size occupancy capacity level fill))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/08 14:21
L13	0	(((transaction near2 (identifier ID)) with (duplicat$3 identicalexact$3 repeat $3)) same ((abort$3 discard$3) with (request$3 command $3))) and ((buffer queu3) with (size occupancy capacity level fill))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/08 14:21
L14	0	(((transaction near2 (identifier ID) with (duplicat$3 identical exact$3 repeat$3)) same ((abort$3 discard $3) with (request$3 command$3))) and ((buffer queu3) with (size occupancy capacity level fill))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/08 14:21

L15	634	(((transaction near2 (identifier ID)) same (duplicat$3 identical exact$3 repeat$3)) same ((abort$3 discard $3) with (request$3 command$3))) and ((buffer queu3) with (size occupancy capacity level fill))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/08 14:22
L16	0	(((transaction near2 (identifier ID)) with (duplicat$3 identical exact$3 repeat$3)) same ((abort$3 discard $3) with (request$3 command$3))) and ((buffer queu3) with (size occupancy capacity level fill))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/08 14:22
L17	653	(((transaction near2 (identifier ID)) same (duplicat$3 identical exact$3 repeat$3)) same ((abort$3 discard $3) same (request$3 command$3))) and ((buffer queu3) same (size occupancy capacity level fill))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/08 14:22
L18	653	(((transaction near2 (identifier ID)) same (duplicat$3 identical exact$3 repeat$3)) same ((abort$3 discard $3) same (request$3 command$3))) and ((buffer queu3) with (size occupancy capacity level fill))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/08 14:23
L19	634	(((transaction near2 (identifier ID)) same (duplicat$3 identical exact$3 repeat$3)) same ((abort$3 discard $3) with (request$3 command$3))) and ((buffer queu3) with (size occupancy capacity level fill))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/08 14:23

L20	0	(((transaction near2 (identifier ID)) same (duplicat$3 identical exact$3 repeat$3) same ((mobile base wireless) with (terminal station device))) same ((abort$3 discard$3) with (request$3 command$3))) and ((buffer queu3) with (size occupancy capacity level fill))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/08 14:24
L21	0	(((transaction near2 (identifier ID)) same (duplicat$3 identical exact$3 repeat$3) same ((mobile base wireless terminal station device))) same ((abort$3 discard$3) with (request$3 command$3))) and ((buffer queu3) with (size occupancy capacity level fill))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/08 14:24
L22	180	((transaction near2 (identifier ID)) with (duplicat$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/08 14:27
L23	3	((transaction near2 (identifier ID)) with (duplicat$3)) same (discard$3 abort$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/08 14:27
L24	686	((transaction near2 (identifier ID)) with ("same" duplicat$3)) same (discard$3 abort $3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/08 14:29
L25	0	((transaction near2 (identifier ID)) with ("same" duplicat$3)) same (discard$3 abort $3) same (port with number)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/08 14:29
L26	4	((transaction near2 (identifier ID)) same ("same" duplicat$3)) same (discard$3 abort $3) same (port with number)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/08 14:29

L27	4	(((transaction near2 (identifier ID)) same ("same" duplicat$3 identical repeat$3)) same (discard$3 abort $3) same (port with number)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/08 14:29
L28	757	(((transaction near2 (identifier ID)) same ("same" duplicat$3 identical repeat$3)) same (discard$3 abort $3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/08 14:30
L29	662	(((transaction near2 (identifier ID)) same (duplicat$3 identical repeat$3)) same (discard$3 abort$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/08 14:30
L30	8	(((transaction near2 (identifier ID)) with (duplicat$3 identical repeat$3)) same (discard$3 abort$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/08 14:30
L31	688	(((transaction near2 (identifier ID)) with (duplicat$3 identical repeat$3 ("same" with (number ID identifier)))) same (discard$3 abort$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/08 15:18
L32	636	((((transaction near2 (identifier ID)) with (duplicat$3 identical repeat$3 ("same" with (number ID identifier)))) same (discard$3 abort$3)) and (buffer with (size bulk avialability capacity fill level))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/08 15:19
L33	640	((((transaction near2 (identifier ID)) with (duplicat$3 identical repeat$3 ("same" with (number ID identifier)))) same (discard$3 abort$3)) and (buffer with (size bulk availab$7 capacity fill level))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/08 15:19

L34	1	(((transaction near2 (identifier ID) with (duplicat$3 identical repeat$3 ("same" with (number ID identifier))) same (communication connection exchange transmssion receiv$3)) same (discard$3 abort $3)) and (buffer with (size bulk availab$7 capacity fill level))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/08 15:20
L35	9	(((transaction near2 (identifier ID)) same (duplicat$3 identical repeat$3 ("same" with (number ID identifier))) same (communication connection exchange transmssion receiv$3)) same (discard$3 abort $3)) and (buffer with (size bulk availab$7 capacity fill level))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/08 15:21
L36	9	(((transaction near2 (identifier ID)) same (duplicat$3 identical repeat$3 ("same" with (number ID identifier))) same (communication connection exchange transmssion receiv$3)) same (discard$3 abort $3)) and (buffer same (size bulk availab$7 capacity fill level))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/08 15:22
L37	9	(((transaction near2 (identifier ID)) same (duplicat$3 identical repeat$3 ("same" with (number ID identifier))) same (communication connection exchange transmssion receiv$3)) same (discard$3 abort $3)) and (buffer same (size bulk availab$7 capacity fill level))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/08 15:22

L38	12	(((transaction near2 (identifier ID)) same (duplicat$3 identical repeat$3 ("same" with (number ID identifier))) same (communication connection exchange transmssion receiv$3)) same (discard$3 abort $3)) and (buffer)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/08 15:22
L39	7488	(port with (table list)) same (availab$7 free accessab$7 unused $2occupied)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/08 16:15
L40	2748	(port with (table list)) with (availab$7 free accessab$7 unused $2occupied)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/08 16:15
L41	558	(port with (table list)) with (availab$7 free accessab$7 unused $2occupied) with (establish$3 enabl$3 begin$4 transmission communication connection)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/08 16:16
L42	109	(port with (table list)) with (availab$7 free accessab$7 unused $2occupied) with (establish$3 enabl$3 begin$4 transmission communication connection) with (request$3 command $3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/08 16:16
L43	30	(port with (table list)) with (availab$7 free accessab$7 unused $2occupied) with (establish$3 enabl$3 begin$4 start$3) with (transmission communication connection) with (request$3 command $3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/08 16:17

L44	28	(port near (table list)) with (availab$7 free accessab$7 unused $2occupied) same (establish$3 enabl$3 begin$4 transmission communication connection) same (request$3 command $3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/08 16:24
L45	279	(port with (table list)) with (availab$7 free accessab$7 unused $2occupied) same (establish$3 enabl$3 begin$4 transmission communication connection) same (request$3 command $3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/08 16:24
L46	16	44 not 43	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/08 16:25
L47	123	(port near3 (table list)) with (availab$7 free accessab$7 unused $2occupied) same (establish$3 enabl$3 begin$4 transmission communication connection) same (request$3 command $3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/08 16:32
L48	107	47 not 46	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/08 16:32
L49	92	48 not 43	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/08 16:32
L50	103	(port near3 (table list)) with (availab$7 free accessab$7 unused $2occupied) with (receiv$3 obtain$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/08 16:36

L51	66	((port near3 (table list)) with (availab$7 free accessab$7 unused $2occupied) with (receiv$3 obtain $3)) same (establish$3 enabl$3 begin$4 transmission communication connection start$3 transaction transfer$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/08 16:37
L52	51	51 not 43	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/08 16:37
L53	34	51 not 47	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/08 16:37
L54	58	((port with (table list)) with (availab$7 free accessab$7 unused $2occupied) with (receiv$3 obtain$3 send $3)) same ((establish $3 enabl$3 begin$4) same (transmission communication connection start$3 transaction transfer $4))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/08 16:43
L55	1880176	"57" not (47 43)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/08 16:44
L56	26	54 not (47 43)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/08 16:44
L57	78	((port with (table list)) with (availab$7 free accessab$7 unused $2occupied)) with ((establish$3 enabl$3 begin$4) same (transmission communication connection start$3 transaction transfer $4))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/08 16:46

L58	37	57 not (47 43)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/08 16:47
L59	46	(port$1 with (list$3 table)) with (start begin) with transmission	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/08 16:50
L60	1189	(port$1 near2 (list$3 table)) with (establish $3 communication transaction)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/08 16:52
L61	69	(port$1 near2 (list$3 table)) with (establish $3) with (communication transaction transmission)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/08 16:52
L62	68	61 not 59	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/08 16:52
L63	353	(receiv$3 with (list table) with (port) with (availab$7 free unused accessab$7 occupidied))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/08 17:01
L64	191	(receiv$3 with (list table) with (port) with (availab$7 free unused accessab$7 occupidied)) same (establish$3 communication transmission transmit $5 transfer$3 send$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/08 17:02
L65	145	64 not (47 43)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/08 17:02

L66	24	(receiv$3 near3 (list table) with (port) with (availab$7 free unused accessab$7 occupidied)) same (establish$3 communication transmission transmit $5 transfer$3 send$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/08 17:02
L67	57	(receiv$3 with ((list table) near3 (port)) with (availab$7 free unused accessab$7 occupidied)) same (establish$3 communication transmission transmit $5 transfer$3 send$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/08 17:06
L68	48	67 not 66	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/08 17:06
L69	20	68 not (47 43)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/08 17:06
L70	246	(((list table) near3 (port)) with (availab$7 free unused accessab $7 occupidied)) same (establish$3 communication connection)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/08 17:09
L71	135	70 not (47 43 66 69 68)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/08 17:10
L72	135	70 not (47 43 66 69 68 59 37)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/08 17:10
L73	87	(((list table) near3 (port)) with (availab$7 free unused accessab $7 occupidied)) same (application)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/08 17:14

L74	87	(((list table) near3 (port)) with (availab$7 free unused accessaib $7 occupidied)) same (application)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/08 17:14
L75	61	74 not (47 43 66 69 68 59 37)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/08 17:14
L76	90	((port with (list table)) with (availab$5 accessib $4 free unused)) same ((mobile wireless base) with (station terminal device node$1))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/08 17:17
L77	83	76 not (47 43 66 69 68 59 37)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/08 17:17
L78	12	((port near2 (list table)) with (availab$5 accessib$4 free unused)) same ((mobile wireless base) with (station terminal device node$1))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/08 17:18
L79	13	((send$3 transmitt$3 receiv$3) with ((base near (terminal device node station) server)) with ((port near (list table entry)) same (free unused use accessib$4 communication transmission tranfer$3 availab$6))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/08 17:23
L80	488	((send$3 generat$3 transmit$3) with (port near2 list))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/08 17:28
L81	52	((send$3 generat$3 transmit$3) with (port near2 list)) with (establish$3 connection)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/08 17:28

L82	3965	port near2 list	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/08 17:31
L83	16	(port near2 list) same application same establish	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/08 17:31
L84	29	(port near2 list) same application same establish$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/08 17:31
L85	62	(port near2 list) with (sent send receiv$3) with (connection)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/08 17:40
L86	57	85 not (84 47 43 66 69 68 59 37)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/08 17:40
L87	75	list with port with establish with (communication connection)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/08 17:44
L88	66	87 not (47 43 66 69 68 59 37)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/08 17:44
L89	75	87 not (1-86)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/08 17:44
L90	7	((port near2 list) and (establish$3 with (communication connection transmission))).ab.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/08 17:48
L91	3	((port near2 list) and (base near station)).ab.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/08 17:49

L92	2	((port near2 list) and station and (establish $3 communicatino connection session)). ab.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/08 17:50
L93	36	application with port with unavailable	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/08 18:32
L94	0	application with port with unavailable with notif$7	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/08 18:34
L95	345	application with port same ((used unavailable) same notif $7)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/08 18:35
L96	5	application with port same (unavailable) same notif$7	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/08 18:35
L97	1566	port with (already with (use$1))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/08 18:36
L98	2671	port with ((already with (use$1)) ("not" with available) (unavailable))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/08 18:37
L99	115	(port with ((already with (use$1)) ("not" with available) (unavailable))).ab.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/08 18:37
L100	11	(port with ((already with (use$1)) ("not" with available) (unavailable)) and application).ab.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/08 18:37
L101	5	"10297411"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/08 18:39

L102	2	("10297411").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/06/08 18:39
L103	2	("5481258").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/06/08 18:40
L104	21	("5481258").URPN.	USPAT	OR	ON	2009/06/08 18:40
L105	59	port with unavailable with (notify notification)	USPAT	OR	ON	2009/06/08 18:41
L106	109	port with unavailable with (notify notification)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/08 18:41
L107	49	port with unavailable with (notify notification)	US-PGPUB	OR	ON	2009/06/08 18:42
L108	6257	("0000351").PN. or (370/389).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/06/08 19:07
L109	1934	(709/236-237).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/06/08 19:07
L110	1607	(370/355-356).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/06/08 19:07
L111	2844	(709/231).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/06/08 19:08

6/ 8/ 2009 7:08:39 PM
C:\ Documents and Settings\ yberhane\ My Documents\ EAST\ Workspaces\ 10568346.wsp